




- [DS 01 0.3 Single Digit\(mini\)](#)
- [DS 02 0.36 Single Digit\(mini\)](#)
- [DS 03 0.3 Single Digit \(10pin\)](#)
- [DS 04 0.3 Single Digit\(14pin\)](#)
- [DS 05&06 0.39 Single Digit](#)
- [DS 07 0.5 Single Digit](#)
- [DS 08 0.56 Single Digit\(mini\)](#)

- [DS 09 0.8 Single Digit](#)
- [DS 10 1.0 Single Digit\(14pins\)](#)
- [DS 11 1.0 Single Digit\(10pins\)](#)
- [DS 11.1 1.0\(14pin\) Display](#)
- [DS 12 1.5 Single Digit](#)
- [DS 13 2.3 Single Digit](#)
- [DS 14 4.0 Single Digit](#)
- [DS 19 Single Segment for 6"](#)
- [DS 19.1 Single Segment for 8"](#)
- [DS 19.2 Single Segment for 10"](#)

KWALITY PolyWa - Product Catalogue and Specs S

LEDs
starting from
₹ 4/-
per watt



LED Displays



5 KLSSL505W 110Lm



6 KLHP3535W 130Lm



4 KLSSL5630W 60/65 Lm

Fig.	Part Number	Wattage	If (mA) current	Forward Voltage	Lumens	Size (mm)
1 LM-80	KLSSL3228W 8Lm	0.06W	20mA	3- 3.5V	7 & 8 Lm	3.5x2.8
2 LM-80	KLSSL3014W 12Lm	0.1W	30mA	3- 3.5V	12 Lm	3.0x1.4
3 LM-80	2835W 24/26, 65Lm	0.2/0.5W	60/150mA	3- 3.3V	24/26Lm,65Lm	2.8x3.5
4 LM-80	KLSSL5630W 60/65Lm	0.5 W	150mA	3- 3.3V	65 Lm	5.6x3.0
5	KLSSL505W 110Lm	1W	350mA	3.6V	110 Lm	5.0x5.0
6 LM-80	KLHP3535W 130Lm	1W	300mA	3.6V	130 Lm	3.5x3.5
7	HP331/3433WE 1&3W	1W	350mA	3- 3.3V	100/130 Lm	Dia 8
7	KLHP3433WE 3W	3W	700mA	3.1- 3.5V	210/240 Lm	Dia 8
8 LM-80	KLSSL3030W - 6V KLSSL2835W - 6V	1 W	150mA	5.6- 6.8V	120 Lm	3.0x3.0 2.8x3.5
9	KLHF725W 8Lm	0.1W	20mA	3- 3.5V	8 Lm	7.62x7.62
10	KL5SH5W 8Lm	0.06W	20mA	3- 3.5V	8 Lm	4.8X5
11	KLHC3609W/3613W	6- 13W	300mA	34- 38V	1000-1100 Lm	Sq 13.5
12	KLHC3622W/3650W	10-20W	550mA	34- 38V	1900-2600Lm	Sq 19.5



2 KLSSL3014W 12Lm



1 KLSSL3228W 8Lm

● SL - Street Lights ● FL - Flood Lights ● TL - Tube Lights
● DL - Down Lights ● PL - Panel Lights ● HBL - High Bay Lights

KWALITY - India's premier LEDs & L

a product of **kwality** an ISO 9001 - 2008 company